







MODEL	LOAD CAPACITY (Kg)	LOAD CAPACITY (lb)	DIMENSIONS (mm)					TARE (Kg)	TARE (lb)	TOTAL FULL LOAD WEIGHT (Kg)	TOTAL FULL LOAD WEIGHT (lb)
			L	P	H1	H2	G				
681F252U	2500	5512	565/1000	1375	2085/2920	1375/2210	1200	250	551	2750	6063



MODEL	CAPACITY (Lt)	LOAD CAPACITY (Kg)	LOAD CAPACITY (lb)	DIMENSIONS (mm)				TARE (Kg)	TARE (lb)	TOTAL FULL LOAD WEIGHT (Kg)	TOTAL FULL LOAD WEIGHT (lb)
				D1	D2	H1	H2				
212	250	550	1212	900	720	930	780	74	163	624	1376
213	300	660	1455	900	720	1010	850	78	172	738	1627
213Z	350	770	1698	900	720	1095	940	85	187	855	1885
214	400	880	1940	1150	720	1090	955	100	220	980	2160
215	500	1100	2425	1150	720	1180	1050	107	236	1207	2661
216	600	1320	2910	1150	720	1260	1125	112	247	1432	3157
217	800	1760	3880	1150	720	1475	1305	152	335	1912	4215
218U	1000	2200	4850	1350	980	1550	1380	234	516	2434	5366
219U	1500	3300	7275	1675	980	1600	1400	325	716	3625	7992
219X20U	2000	4400	9700	1675	980	1850	1650	352	776	4752	10476
219X20US	2000	4400	9700	1865	980	1600	1400	380	838	4780	10538
219X20US2	2000	4400	9700	1865	980	1600	1430	388	855	4788	10556



MODEL	CAPACITY (Lt)	LOAD CAPACITY (Kg)	LOAD CAPACITY (lb)	DIMENSIONS (mm)					TARE (Kg)	TARE (lb)	TOTAL FULL LOAD WEIGHT (Kg)	TOTAL FULL LOAD WEIGHT (lb)
				D1	D2	H1	H2	HOSE Ø				
303	400	880	1940	1300	770	1250	1115	200	110	242	990	2182
304	500	1100	2425	1300	770	1335	1205	200	125	276	1225	2700
305	600	1320	2910	1300	770	1430	1285	200	132	291	1452	3201
306	800	1760	3880	1300	780	1625	1450	200	160	353	1920	4233
307	1000	2200	4850	1300	780	1775	1610	200	180	397	2380	5247
308	1500	3300	7275	1450	950	1930	1775	200	280	617	3580	7892
309	2000	4400	9700	1450	950	2225	2070	200	290	639	4690	10339




MODEL	CAPACITY (Lt)	LOAD CAPACITY (Kg)	LOAD CAPACITY (lb)	DIMENSIONS (mm)				TARE (Kg)	TARE (lb)	TOTAL FULL LOAD WEIGHT (Kg)	TOTAL FULL LOAD WEIGHT (lb)
				L	H	D	HOSE Ø				
307CSVU	1000	2200	4850	2600	900	1305	200	330	728	2530	5578
308CSVU	1500	3300	7275	2910	1080	1490	200	450	992	3850	8488
309CSVU	2000	4400	9700	3210	1180	1490	200	510	1124	4910	10824
309BCSVU	3000	6600	14550	3500	1280	1490	200	660	1455	7260	16005


SELF DUMPING BIN completely automatic

BUTTI

PENSATO PER DURARE



MODEL	CAPACITY (Lt)	LOAD CAPACITY (Kg)	LOAD CAPACITY (lb)	DIMENSIONS (mm)				TARE (Kg)	TARE (lb)	TOTAL FULL LOAD WEIGHT (Kg)	TOTAL FULL LOAD WEIGHT (lb)
				L	P	H1	H2				
231	100	165	364	710	620	760	360	23	51	188	414
234	300	495	1091	1020	960	1120	505	65	143	560	1234
235	400	660	1455	1125	1090	1175	505	90	198	750	1653
236	500	825	1819	1225	1090	1225	575	98	216	923	2035
236B	600	990	2183	1225	1090	1300	680	110	242	1100	2425
237	800	1320	2910	1525	1330	1500	650	174	384	1494	3294
238	1000	1650	3638	1530	1330	1565	755	199	439	1849	4077
239UL	1500	2475	5456	1855	1380	1390	840	278	613	2753	6069
239AUL	2000	3300	7275	1990	1720	1540	840	410	904	3710	8179
239BUL	3000	4950	10913	2230	2030	1720	960	660	1455	5610	12368
239CU	4000	6600	14550	2290	2250	1870	1120	830	1830	7430	16380
239D	5000	8250	18188	2650	2330	2255	1265	1300	2866	9550	21054
239G	8000	13200	29101	3800	2170	2850	1600	2950	6504	16150	35605
239I	10000	16500	36376	4020	2170	3170	1850	3850	8488	20350	44864



MODEL	CAPACITY (Kg)	CAPACITY (lb)	DIMENSIONS (mm)				No. OF PEOPLE ON BOARD	BOTTOM WEIGHT (Kg)	BOTTOM WEIGHT (lb)	ROOF WEIGHT (Kg)	ROOF WEIGHT (lb)	TOTAL WEIGHT (Kg)	TOTAL WEIGHT (lb)	TOTAL FULL LOAD WEIGHT (Kg)	TOTAL FULL LOAD WEIGHT (lb)
			L	P	H1	H2									
367U	280	617	1400	1000	2400	1370	2	260	573	120	265	380	838	660	1455