
























Tyres, ramps and hooks		SL 280 Standard	SL 380 Midaj	SL 580 Maxi	SL 380 Outdoor	SL 380 Outdoor High Lifter	SL 780 Outdoor	SL 400 Sky Lifter
Item	Description							
	<b>Nr. 01</b>  Puncture proof tyres Set of 4 foam-filled punctureproof tyres.	MASSIVE	MASSIVE	MASSIVE	Nr. 010633	STANDARD	Nr. 011201	STANDARD
	<b>Nr. 02</b>  Wheels With non-marking tyres. Do not leave marks on your floor. For indoor use. Set of 4.							
	<b>Nr. 03</b>  Wheel cover Set of 4 wheel cover for non-marking driving indoor.				Nr. 011004	Nr. 011004		
	<b>Nr. 04</b>  Ramp Indoor Aluminium ramp. Ramp measures 2000 x 650 mm.	Nr. 010316	Nr. 010316					
	<b>Nr. 05</b>  Ramp Outdoor + SL 580 Maxi Aluminium ramp. Ramp measures 2500 x 850 mm.			Nr. 010317	Nr. 010317	Nr. 010317	Nr. 010317	Nr. 010317
	<b>Nr. 06</b>  Lifting hook type 400, 600 or 800 Strong CE-marked lifting hook. Max. load capacity 380, 600 or 800 kg. Equipment can easily be replaced by one person. No tools required.	Nr. 001017	Nr. 001017	Nr. 001133	Nr. 001017	Nr. 001017	Nr. 001133	Nr. 001132

Suction pads		SL 280 Standard	SL 380 Midaj	SL 580 Maxi	SL 380 Outdoor	SL 380 Outdoor High Lifter	SL 780 Outdoor	SL 400 Sky Lifter
Item	Description							
	<b>Nr. 08</b>  Suction pads 250 mm Rubber membrane can be replaced. Set of 4 pcs. Max. load capacity 250 kg.	STANDARD	Nr. 010406	Nr. 010406	Nr. 010406	Nr. 010406	Nr. 010406	Nr. 010406
	<b>Nr. 08</b>  Suction pads 300 mm Set of 4 pcs. Max. load capacity 400 kg.	Nr. 010404	STANDARD	Nr. 010404	STANDARD	STANDARD	Nr. 010404	STANDARD
	<b>Nr. 08</b>  Suction pads 400 mm Set of 4 pcs. Max. load capacity 600 kg.	Nr. 010405	Nr. 010405	STANDARD	Nr. 010405	Nr. 010405	STANDARD	STANDARD
	<b>Nr. 09</b>  Suction pads 125 mm Set of 4 pcs. Max. load capacity 70 kg.	Nr. 010399	Nr. 010399	Nr. 010399	Nr. 010399	Nr. 010399	Nr. 010399	Nr. 010399
	<b>Nr. 10</b>  Suction pads, Paroc elements 250 mm. Set of 4 suction pads for use with Paroc elements. Max. load capacity 270 kg.	Nr. 010756	Nr. 010756	Nr. 010756	Nr. 010756	Nr. 010756	Nr. 010756	Nr. 010756
	<b>Nr. 11</b>  Suction pads, stone Your choice of suction pads depends on the type of lift and task in question. Call us for advice.	ASK PLEASE	ASK PLEASE	ASK PLEASE	ASK PLEASE	ASK PLEASE	ASK PLEASE	ASK PLEASE
	<b>Nr. 12</b>  Oval suction pads with hoses and fittings Suitable for use with e.g. ridged doors where the suction area is small. The suction pads measure 370 x 80 mm. Max. load capacity (4 pads) 127 kg.	Nr. 001040	Nr. 001040	Nr. 001040	Nr. 001040	Nr. 001040	Nr. 001040	Nr. 001040
	<b>Nr. 13</b>  Suction pads, fire doors Your choice of suction pads depends on the type of lift and task in question. Call us for advice.	ASK PLEASE	ASK PLEASE	ASK PLEASE	ASK PLEASE	ASK PLEASE	ASK PLEASE	ASK PLEASE






Åg									
Item	Description								
	<p>Nr. 14</p> <p><b>Flexolink</b> Set of 4 flexible rubber connectors for curved panes of glass. Max. load capacity 127 or 600 kg.</p>	Nr. 010398	Nr. 010398	Nr. 010571	Nr. 010398	Nr. 010398	Nr. 010571	Nr. 010571	Nr. 010398
	<p>Nr. 16</p> <p><b>Extender type 105 mm</b> Suction pad extender. Suitable to attach loads with various levels.</p>	Nr. 001166	Nr. 001166	Nr. 001099	Nr. 001166	Nr. 001166	Nr. 001099	Nr. 001099	Nr. 001166
	<p>Nr. 17</p> <p><b>Extender type 450 mm</b> Suction pad extender. Suitable to attach loads at with various levels.</p>	Nr. 001043	Nr. 001043		Nr. 001043	Nr. 001043			Nr. 001043
	<p>Nr. 18</p> <p><b>Suction pad bracket flex</b> Adjustable bracket for suction pad. 200 mm adjustment.</p>	Nr. 001173	Nr. 001173	Nr. 001174	Nr. 001173	Nr. 001173	Nr. 001174	Nr. 001175	Nr. 001173
	<p>Nr. 19</p> <p><b>Double suction pad bracket flex</b> Adjustable bracket, double, for oval suction pad. 200 mm adjustment.</p>	Nr. 001176	Nr. 001176	Nr. 001177	Nr. 001176	Nr. 001176	Nr. 001177	Nr. 001178	Nr. 001176
	<p>Nr. 21</p> <p><b>Flexi Beam</b> A rotary traverse which allows you to align suction pads in a row or place them in other ways. Suitable for use with narrow or e.g. triangular loads.</p>	Nr. 001171	Nr. 001171	+ DELIVERY TIME	Nr. 001171	Nr. 001171	+ DELIVERY TIME	+ DELIVERY TIME	Nr. 001171
	<p>Nr. 15</p> <p><b>Ball joint for suction pad</b> Extra flexible link for curved panes of glass. Max. load capacity 600 kg. For a special type of suction cups. Call us for advice.</p>	ASK PLEASE	ASK PLEASE	ASK PLEASE	ASK PLEASE	ASK PLEASE	ASK PLEASE	ASK PLEASE	ASK PLEASE
	<p>Nr. 20</p> <p><b>Distributor block</b> A distributor block to attach additional suction pads.</p>	Nr. 011327	Nr. 011327	Nr. 011327	Nr. 011327	Nr. 011327	Nr. 011327	Nr. 011327	Nr. 011327

Åg		SL 280 Standard	SL 380 Midaj	SL 580 Maxi	SL 380 Outdoor	SL 380 Outdoor	SL 608 Outdoor High Lifter	SL 780 Outdoor	SL 400 Outdoor Giant
Item	Description								
	<p>Nr. 22</p> <p><b>Gyro</b> Gyro makes it easy and fast to establish and maintain the yoke in vertical and horizontal position.</p>								
	<p>Nr. 23</p> <p><b>Suction pad protection type 300 or 400</b> For suction pad 300 or 400 mm.</p>		Nr. 010968	Nr. 010969	Nr. 010968	Nr. 010968	Nr. 010969	Nr. 010968 +69	Nr. 010968

2015 10220

Misc. accessories		SL 280 Standard	SL 380 Midaj	SL 580 Maxi	SL 380 Outdoor	SL 380 Outdoor High Lifter	SL 780 Outdoor	SL 400 Sky Lifter
Item	Description							
	<b>Nr. 24</b> Pallet fork type 300 or 500 Smartlift pallet fork. Max. load capacity 300 or 500 kg. Accessories can easily be replaced by one person.	Nr. 001135	Nr. 001135	Nr. 001164	Nr. 001135	Nr. 001135	Nr. 001164	
	<b>Nr. 07</b> Lifting yoke with chains Lifting yoke for crane, etc. to hoist SL 780 Outdoor Giant in a multi-storey building.						Nr. 001220	
	<b>Nr. 25</b> Gripper for use with cylindrical loads Clamp for use with pipes and other cylindrical loads. Accessories can easily be replaced by one person.							
	<b>Nr. 26</b> Lock Electric key switch.							
	<b>Nr. 27</b> Special colour Select one or more special RAL colours.	+ DELIVERY TIME	+ DELIVERY TIME	+ DELIVERY TIME	+ DELIVERY TIME	+ DELIVERY TIME	+ DELIVERY TIME	+ DELIVERY TIME
	<b>Mandatory inspection</b> Mandatory annual inspection of your Smartlift.							
	<b>Service agreement</b> Annual service of your Smartlift.							
	<b>Hour meter</b> Smartlift hour counter.				STANDARD	STANDARD	STANDARD	STANDARD

Misc. accessories for Sky Lifter		SL 280 Standard	SL 380 Midi	SL 580 Maxi	SL 380 Outdoor	SL 380 Outdoor	SL 608 Outdoor High Lifter	SL 780 Outdoor	SL 400 Sky Lifter
Item	Description								
	<p><b>Nr. 28</b></p> <p>Radio controller (master-master) Additional radio controller. Ideal for use when the final positioning of the load takes place at a distance from the starting point.</p>								Nr. 010492
	<p><b>Nr. 31</b></p> <p>Battery for radio controller When you have an extra battery, you can operate the controller non-stop without breaks for recharging.</p>							Nr. 010572	Nr. 010572
	<p><b>Nr. 29</b></p> <p>Charging for battery (radio controller) Charger for battery.</p>							Nr. 011361	Nr. 011361
	<p><b>Nr. 30</b></p> <p>Trafo for the charging unit (radio controller) Adaptor for the charger to the current network. (110-240 V, 50-60 Hz).</p>							Nr. 011368	Nr. 011368
	<p><b>Nr. 37</b></p> <p>Lithium battery (Sky Lifter) When you have an extra battery, you can operate Sky Lifter non-stop without breaks for recharging.</p>								Nr. 010885
	<p><b>Nr. 38</b></p> <p>Charger for lithium battery (Sky Lifter) Charger unit for battery. (110-240 V, 50-60 Hz).</p>								Nr. 010881

Misc. accessories for Sky Lifter		SL 280 Standard	SL 380 Midji	SL 580 Maxi	SL 380 Outdoor	SL 380 Outdoor High Lifter	SL 608 Outdoor	SL 780 Outdoor	SL 400 Sky Lifter
Item	Description								
	Nr. 32 <b>Mounting bracket/adaptor Manitou</b> Mounting bracket/adaptor – to install Sky Lifter on a Manitou.								Nr. 001180
	Nr. 35 <b>Sky Lifter crane adapter</b> Supplied to fit specific crane model on request.								
	Nr. 33 <b>Quick charge for Sky Lifter</b> Mounting plate for SL 400 Sky Lifter. Part without anchoring for the parent machine.								Nr. 001167
	Nr. 34 <b>Perforated plate</b> Pre-drilled perforated plate for mounting on Sky Lifter. Part without anchoring for the parent machine.								Nr. 001179
	Nr. 36 <b>Lifting yoke with chains</b> Lifting yoke for crane etc. for lifting SL 400 Sky Lifter.								Nr. 001220